

Part II – Black-Box Composition Systems

10. Finding Business Components in a Component-Based Development Process

1. The UML component model
2. Business component model of the Cheesman/Daniels process
3. Identifying business components

Prof. Dr. Uwe Aßmann
Technische Universität
Dresden
Institut für Software- und
Multimediatechnik
<http://st.inf.tu-dresden.de>
13-1.2, 24.04.13



Literature

- ▶ J. Cheesman, J. Daniels. UML Components. Addison-Wesley.



10.1 Big Objects, Business Objects, and UML Components

The Cheesman-Daniels approach identifies UML components in UML class diagrams, adding required and provided interfaces.

It describes how to transform a UML class diagram to a UML component diagram.




Natural and Dependent Types

- ▶ An object with a **natural type (entity type)** lives on its own and exists independent of context and collaborators
 - The type does not depend on other types (**independent type**)
 - Hotel vs. HotelRoom
 - Car vs. Screw or Motor
 - Types that depend on others are called **dependent types**.
- Role types, facet types, part types are dependent types.
- ▶ A **big object (bob)** is complex, hierarchical object with a natural type
 - Usually, it has subobjects with dependent types, role types and others.
- ▶ A **business object (domain object)** is a bob with a natural type of the domain model (business model)
 - ▶ Usually, business objects (domain objects) are large hierarchical objects
 - They can consist of thousands of smaller objects of dependent types (part-of relation)
 - They can play many *roles* with *context-based types*




Component Specification with UML Components

- A **UML component** is a hierarchical class for big objects with *provided* and *required* interfaces (roles)
 - Provided interfaces (provided roles) use „lollipop“ notation
 - Required interfaces (required roles) use „plug“ notation
- UML components can specify bobs with one natural core object and many dependent subobjects




Ports of UML Components

- A **port** is a connection point of a UML component.
 - A port has a set of roles (interfaces)
 - It may be represented by a **port object (gate)**




Lollipops und Plugs (Balls and Sockets)

- For a UML component, *provided* and *required* interfaces can be distinguished
 - A required interface specifies what the current class needs to execute.




Ports

- Ports consist of **port classes** with interfaces and behavior in form of **interface automata**
 - provided: normal, *offered* interface
 - required: used, *necessary* interface



Nesting of UML Components


- UML components
 - Ports are connected by *links (connections)*
 - Delegation link*: links outer and inner port



Prof. U. Aßmann, CBSE 9

Refinement of UML Components


- UML components are nested, i.e., are bobs.
- Nesting is indicated by *aggregation* and *part-of relationship*.
- Nesting is introduced by an encapsulation operator encapsulate.



Prof. U. Aßmann, CBSE 10

Encapsulation means Aggregation

- Nesting means *Aggregation*
 - A UML component is a package and a façade for all subcomponents



Prof. U. Aßmann, CBSE 11

10.2 A Business Component Model

The Chesman-Daniels process to find business components





Business Objects are Complex Objects

- ▶ In the Cheesman-Daniels component model, a **business component** consists of a set of business objects and other business components (part-of relation)
 - ▶ The smallest component is a *business object with several provided and required interfaces*
 - . The business objects are the logical entities of an application
 - . Their interfaces are re-grouped on system components for good information hiding and change-oriented design
- A business component has a specification containing all interfaces and contracts and an implementation
 - UML-CD are used (UML profile with stereotypes)



Goals of the Cheesman-Daniels Process

- ▶ The Cheesman-Daniels Process identifies UML components in UML class diagrams
 - ▶ It bridges *domain modelling* with *use case modelling* (functional requirements)
- ▶ Steps:
 - ▶ Find out business objects (big objects with core and subobjects) of the application
 - ▶ Group business objects to components with required and provided interfaces, for change-oriented design and reuse
 - ▶ Specify contracts for the components
- ▶ Be aware: the Cheesman-Daniels Process can be employed also for many other component models of this course, such as
 - ▶ Black box component models, such as EJB, Corba, .NET
 - ▶ Grey-box component models:
 - ▶ Generics (e.g., class diagram templates)
 - ▶ Fragment component models (e.g., advice groups in aspects)
 - ▶ Class-role models



Business Component Model

- ▶ In the Cheesman-Daniels component model, a **business component** consists of a set of business objects and other business components (part-of relation)
- ▶ The smallest component is a *business object with several provided and required interfaces*
 - . The business objects are the logical entities of an application
 - . Their interfaces are re-grouped on system components for good information hiding and change-oriented design
- A business component has a specification containing all interfaces and contracts and an implementation
 - UML-CD are used (UML profile with stereotypes)




10.3. Identifying Business Components



Identifying Business Components with the Cheesman-Daniels Process

Overall development process



Simplified version of Fig. 2.1 from Cheesman/Daniels

Prof. U. Aßmann, CBSE 17

Artifacts of the Cheesman/Daniels Process

Requirement artifacts:

- *Domain model (business concept model)*: describes the business domain (application domain)
- *Use case model (requirements model)*

System artifacts, derived from the business concept model:

- *Business type model*, class diagram derived from domain model:
 - Represents the system's perspective on the outer world (more attributes, refined class structures from the system's perspective)
- *Business object interface model*, identifies the business objects and all their interfaces
- *Business object model*, derived from the business object interface model by adding additional operations


System component artifacts

- Component interface specifications: one contract with the client
- Component interface information model (state-based model)
- Component specifications: all interface specifications of a component plus constraints.
- Component architecture: wiring (topology) of a component net.




Prof. U. Aßmann, CBSE 18

10.3.1 Component Identification (Step 1)



Ex.: Domain Model of a Course-Management System


Collects all concepts of the domain (aka business concept model)



Prof. U. Aßmann, CBSE 20


10.3.1.a) Business Type Model

- ▶ Defines system types from the domain model
 - Eliminates superfluous concepts
 - Adds more details
 - Distinguish datatypes (passive objects)




10.3.1.b) Business Object Interface Model

- ▶ Identifies business objects from the business type model
 - And defines *management interfaces* for them
 - Here, only Company, Course, Person are business objects, all others are dependent types




10.3.1.c) Component Identification (Version 0.1)

- ▶ Group classes and interfaces into reusable components



Alternative Component Identification (0.1)

- ▶ Often, classes and interfaces can be grouped in several ways into components. Goal: think about what is reusable
- ▶ Here: Person management might be reuseable, so make it a separate component




Component Identification

- ▶ The **component identification** subprocess attempts to
 - Create a business object interface model from the domain model (still without methods)
 - Attempts to group these interfaces to initial *system component specifications*
 - The grouping is done according to
 - *information hiding*: what should a component hide, so that it can easily be exchanged and the system can evolve?
 - *Reuse considerations*: which specifications of components are found in the component specification repository, so that they can be reused?
- ▶ There is a tension between business concepts, coming from the business domain (problem domain), and system components (solution domain). This gap should be bridged.



10.3.2 Component Interaction Analysis (Step 2) for Refinement of Interfacts




Component Interaction Analysis

- ▶ Is basically a refinement of the first stage
 - Removing,
 - Regrouping,
 - Augmenting,
 - Producing component specifications and wirings in a version 0.2
- ▶ Additionally, operations are added to business object interfaces
 - And mapped to internal types.



10.3.3 Component Specification (Step 3)

- ▶ Enrich the interfaces with contracts





Component Specification (Step 3)

- ▶ Specification of declarative contracts for UML bobs in OCL
- ▶ Invariant construction:
 - Evaluate business domain rules and integrity constraints
 - Example:


```
context r: Course
-- a course can only be booked if it has been allocated in
the company
inv: r.bookable = r.allocation->notEmpty
```
- ▶ Pre/Postconditions for operations
 - Can only be run on some state-based representation of the component
 - Hence, the component must be modeled in an *interface information model*
 - Or: be translated to implementation code (e.g. Java using an OCL2Java Compiler)



10.3.4. Provisioning (Realization, Implementation) (Step 4)

- ▶ Provisioning selects component implementations for the specifications
 - Choosing a concrete implementation platform (EJB, CORBA, COM+, ...)
 - Look up component implementations in implementation repositories
 - Write adapters if they don't fit exactly
 - Program missing components
 - Store component implementations and specifications in database for future reuse



10.3.5 Assembly (Step 5)

- ▶ Puts together architecture, component specifications and implementations, existing components
 - We will see more in the next lectures




Weaknesses of Cheesman-Daniels Business Components

- ▶ No top-down decomposition of components, only bottom-up grouping from class diagrams
 - part-of relationship is not really supported
- ▶ Reuse of components is attempted, but
 - Finding components is not supported (see companion lecture)
 - Metadata
 - Facet-based classification





Cheesman-Daniels' Business Component Model as Composition System



The End

