


25. Declarative Aspect Weaving with Cross-Cut Graphs and Graph Rewriting

Prof. Dr. Uwe Aßmann
Technische Universität Dresden
Institut für Software- und
Multimediatechnik
<http://st.inf.tu-dresden.de>
Version 13-1.0, 2013-06-29

- 1) Introduction
 - 1) Aspect Oriented Development (AOSD) and -Programming (AOP)
 - 2) Graph Rewrite Systems (GRS)
- 2) Categories of GRS-based Weaving
- 3) Generation of Aspect Weavers
- 4) Conclusion



Literature

- ▶ Uwe Aßmann and Andreas Ludwig. Introducing Connections into Classes with Static Metaprogramming. In Paolo Ciancarini and Alexander Wolf, editors, 3rd Int. Conf. on Coordination, volume 1594 of Lecture Notes in Computer Science, pages 371-383. Springer, Heidelberg, April 1999.
 - google for it.

CBSE, © Prof. Uwe Aßmann


1

25.1 Aspect-Oriented Development


- ▶ Motivation: Separation of Concerns
 - a new kind of modularization
 - separation of cross-cutting code parts
- ▶ Technique: Integration by (Static) Weaving
 - Based on Crosscut Graphs

Examples for Aspects:

- Synchronization
- Communication
- Instrumentalization
- Memory Management



Aspect-Oriented Development



AOSD/AOP aims at different problem domains...
.. weaving requires different specification languages.

A new weaver for every weave scenario!
Weavers are compilers... Weaving can become complicated...

**We need a uniform and formal technique to
classify and specify AOP weavers.**

**Idea: Programs and models can be represented as typed graphs (abstract
syntax graphs)...**

Describe aspect weaving as cross-cut graphs

Produce the cross-cut graphs by declarative graph-rewriting





Classes of AOP Systems



- ▶ Script-based AOP (e.g. *RG*, *AspectJ*, *InjectJ*)
 - aspects are modification rules
- ▶ Language-based AOP (e.g. *D*, *AML*)
 - aspects are specialized languages
- ▶ Declarative AOP
 - crosscut graphs are described by a declarative language
 - e.g., logic-based AOP
- ▶ Graph-rewriting-based AOP
 - rewriting rules combine aspect fragments



Core + Aspect Graphs



GRS - Basics



25.2 AOP as GRS

Program Graph: Representation of the program (or of a model) in form of a graph

- ▶ *Core Graph*: Program graph of the core
- ▶ *Aspect Graph*: Program graph of the aspect

Join Point: Redex in core graph

Aspect Fragment: Redex in Aspect Graph

Aspect Composer: Graph Rewrite Rule

Weave Operation: Direct Derivation



Weaver: Graph Rewrite System with

- a set of aspect composers,
- a component graph, and
- a set of aspect graphs (context-sensitive rules).





Example



GRS rule to prepend statements to method entries




Example (2): Working with the Rule on a ProgramGraph



Example (3)





- ▶ Handling of all kinds of aspects possible
 - all we need is abstract syntax of programs or models
- ▶ Universally for all programming and modeling languages
- ▶ Uniform specification allows a classification of aspect weaving systems
- ▶ Certain classes of rewrite systems guarantee
 - **termination**
 - **confluence** (= deterministic results)



Category I: Aspect-Relating Rules

- ▶ Edge-addition rewrite system (EARS)
 - always congruent (= terminating + confluent)
 - weaving operation becomes a function
- ▶ Ideal for simple property aspects
 - e.g. persistency, synchronization, ...







Category II: Aspect-Additive Rules

- ▶ if it is an eXhaustive Graph Rewrite System (XGRS) and does not modify the redex
 - always congruent (= terminating + confluent)
- ▶ Ideal for orthogonal aspect code
 - e.g. Adaptive Programming



Prof. U. Almann, CBSE



Category III: Core-Modifying Rules

- ▶ Exchange parts of cores.
- ▶ Confluence and termination are not guaranteed.
- ▶ Indeterminism is acceptable if all normal forms are semantically equivalent.

Prof. U. Almann, CBSE







Special Category: Aspects in Rules

- ▶ Aspect fragments are part of the right-hand sides.
- ▶ Similar to script-based AOP.
- ▶ Ideal for aspects with finite variability (because of finite set of rules).



Prof. U. Almann, CBSE



Special Category: Core-Modifying Rules

- ▶ Intra-core rules
 - rewrite the component graph only
 - resemble standard code motion optimizations
- ▶ Ideal for optimizing aspect weavers.
 - e.g. RG (Reverse Graphics of Xerox)

Prof. U. Almann, CBSE



Comparison

System	terminating	deterministic	aspect graph
Aspect Fragment Matching			
Aspect-relating	yes	yes	yes
Aspect-additive	if exhaustive	yes	yes
Core-modifying	if exhaustive	usually not	yes
Aspects in Rules	depends	depends	no
Intra-Core	depends	depends	no

Aspect Weaving is similar to Program Optimization


- ▶ Graph rewriting can express many program optimizations uniformly [Alßm96].
- ▶ Optimizations transform programs.
- ▶ Weavers transform programs.

So:

Graph rewriting can express many aspect weavings uniformly.

Generating Tools from Rewrite Specification

- ▶ [Alexander Christoph, PhD 2004, University of Karlsruhe]



Conclusion

- ▶ GRS provide a **uniform** and **formal** way to specify and classify aspect weavings.
- ▶ Tool support for weavers.
- ▶ Open question:
 - How much of AOP can be covered by this approach?
- ▶ Alternative approaches:
 - Prolog based pointcut specifications
 - Query-based pointcut specifications

The End

- ▶ Several slides are courtesy to Dr. Andreas Ludwig.

