

14b-ST2, 37-SEW

Exhaustive Graph Rewrite Systems (XGRS) for Model and Program Transformations

Prof. Dr. Uwe Aßmann

Softwaretechnologie

Technische Universität
Dresden

Version 11-0.4, 10.12.11

1) EARS

2) AGRS

3) SGRS

4) XGRS

Obligatory Literature

- ▶ Uwe Aßmann. Graph rewrite systems for program optimization. ACM Transactions on Programming Languages and Systems (TOPLAS), 22(4):583-637, June 2000.
 - <http://portal.acm.org/citation.cfm?id=363914>
- ▶ Alexander Christoph. Graph rewrite systems for software design transformations. In M. Aksit, editor, Proceedings of Net Object Days 2002, Erfurt, Germany, October 2002.
- ▶ Alexander Christoph. GREAT - a graph rewriting transformation framework for designs. Electronic Notes in Theoretical Computer Science (ENTCS), 82 (4), April 2003.
- ▶ Alexander Christoph. Describing horizontal model transformations with graph rewriting rules. In Uwe Aßmann, Mehmet Aksit, and Arend Rensink, editors, MDFAFA, volume 3599 of Lecture Notes in Computer Science, pages 93-107. Springer, 2004.
- ▶ Tom Mens. On the Use of Graph Transformations for Model Refactorings. GTTSE 2005, Springer, LNCS 4143
 - <http://www.springerlink.com/content/5742246115107431/>



36.1 EARS

Problems with GRS


With graph rewriting for model and program transformation, there are some problems:

- ▶ **Termination:** The rules of a GRS G are applied in chaotic order to the manipulated graph. When does G terminate for a start graph?
 - Idea: identify a *termination graph* which stops the rewriting when completed
- ▶ **Non-convergence (indeterminism):** when does a GRS deliver a deterministic solution (unique normal form)?
 - Idea: unique normal forms by rule stratification

Additive Termination

- ▶ A **termination subgraph** is a subgraph of the manipulated graph, which is step by step completed
- ▶ Conditions in the additive case:
 - nodes of termination (sub-)graph are not added (remain unchanged)
 - its edges are only added
- ▶ If the termination graph is complete, the system terminates

Transitivising the Inheritance Hierarchy



[Christoph04]

Example: Collect Subexpressions


- ▶ "Find all subexpressions which are reachable from a statement"

```
ExprsOfStmt(Stmt,Expr) :- Child(Stmt,Expr).  
ExprsOfStmt(Stmt,Expr) :- Child(Stmt,Expr2), Descendant(Expr2,Expr).  
// Descendant is transitive closure of Child  
Descendant(Expr1,Expr2) :- Child(Expr1,Expr2).  
Descendant(Expr1,Expr2) :- Descendant(Expr1,Expr3),  
                             Child(Expr3,Expr2).
```

- ▶ Features:
 - terminating, strong confluent
 - convergent (unique normal form)
 - recursive
- ▶ Why do such graph rewrite systems terminate?


EARS CollectExpressions

- ▶ Two transitive closures




Execution of „Reachable Subexpressions“


- ▶ Answer: ExprsOfStmt and Descendants are termination subgraphs, completed step by step




Execution of „Reachable Subexpressions“



Execution of „Reachable Subexpressions“



Execution of „Reachable Subexpressions“



EARS - Simple Edge-Additive GRS

- ▶ **EARS (Edge addition rewrite systems)** only add edges to graphs
 - They can be used for the construction of graphs
 - For the building up analysis information about a program or a model
 - For abstract interpretation on an abstract domain represented by a graph
- ▶ **terminating**: noetherian on the finite lattice of subgraphs of the manipulated graph
 - Added edges form the termination subgraph
- ▶ **strongly confluent**: direct derivations can always be interchanged.
- ▶ **congruent**: unique normal form (result)
- ▶ EARS are equivalent to binary F-Datalog

Data-flow Analysis with EARS

- ▶ Every distributive data flow problem (abstract interpretation problem) on finite-height powerset lattices can be represented by an EARS
 - defined/used-data-flow analysis
 - partial redundancies
 - local analysis and preprocessing:
- ▶ EARS work for other problems which can be expressed with DATALOG-queries
 - equivalence classes on objects
 - alias analysis
 - program flow analysis

36.2 Additive GRS (AGRS)



Example: Allocation of Register Objects

- "Allocate a register object for every subexpression of a statement which has a result and link the expression to the statement"

if ExprsOfStmt(Stmt,Expr), HasResult(Expr)

then


ObjectExprs(Stmt,Expr),

RegisterObject := new Register;


UsedReg(Expr,RegisterObject)


;

- Features: terminating














- ▶ ObjectExprs is the termination subgraph





Derivation with the Termination Subgraph





Edge-accumulative Rules and AGRS

- ▶ A GRS is called **edge-accumulative (an AGRS)** if
 - all rules are edge-accumulative and
 - no rule adds nodes to the termination-subgraph nodes of another rule.
- ▶ Edge-accumulative rules are defined on label sets of nodes and edges in rules
- ▶ This criterion statically decidable

The Termination Subgraph of the Examples


Collection of subexpressions:

$T = (\{\text{Stmt}, \text{Expr}\}, \{\text{ExprsOfStmt}, \text{Descendant}\})$

Allocation of register objects:

$T = (\{\text{Proc}, \text{Expr}\}, \{\text{ObjectExprs}\})$


36.3 Subtractive GRS (SGRS)




Subtractive Termination

- ▶ Conditions in the subtractive case:
 - the nodes of the termination subgraph are not added (remain unchanged)
 - its edges are only deleted
- ▶ If the termination subgraph is empty, the system terminates
- ▶ Results in:
 - **edge-subtractive GRS (ESGRS)**
 - **subtractive GRS (SGRS)**


Constant Folding as Subtractive GRS



Peephole Optimization as Subtractive XGRS



36.4 Exhaustive GRS (XGRS)



The Nature of Exhaustive Graph Rewriting (XGRS)


AGRS, SGRS make up **XGRS (eXhaustive Graph Rewrite Systems)**

All redex parts in the termination-subgraph of the host graph are reduced step by step.

- ▶ The termination-subgraph is either *completed* or *consumed*
 - Edge-accumulative systems may create new redex parts in the termination-subgraph, but
 - there will be at most as many of them as the number of edges in the termination-subgraph.
 - Subtractive systems do not create sub-redexes in the termination-subgraph but destroy them.
- ▶ XGRS can only be used to specify algorithms which
 - perform a *finite* number of actions depending on the size of the host graph.

All Together Now: Flattening the Inheritance Hierarchy


- ▶ This rule terminates, due to path contraction



All Together Now: Pull-Up-Method Refactoring


- ▶ Additive Step 1: Create a new base class for common features; mark this as “base-type”

NewSuper.Name := “<A.name>_<B.name>_Base”




[Christoph04]

- ▶ Edge-Additive Step 2: alternate case: a class A has features that should be moved up anyway



- ▶ Subtractive Step 3: do the real “pull-up” into the superclass



{ forall f in C: move f to B }

The End

- ▶ Many model and program transformations can be specified by XGRS
- ▶ Termination criteria build on a *termination subgraph* that is completed or deleted during the transformation