

Part II

Design Patterns and Frameworks

1

Prof. Dr. U. Aßmann
 Chair for Software Engineering
 Faculty of Informatics
 Dresden University of Technology
 13-0.2, 11/16/13

- 10) Role-based Design
- 11) Design Patterns as Role Models
- 12) Framework Variability
- 13) Framework Extensibility

Version numbers greater 1.0 contain corrections and improvements after lecturing
 Design Patterns and Frameworks, © Prof. Uwe Aßmann



10. Role-Based Design – A Concept for Understanding Design Patterns and Frameworks

3

Prof. Dr. U. Aßmann
 Chair for Software Engineering
 Faculty of Informatics
 Dresden University of Technology

- 1) Role-based Design
- 2) Role-Model Composition
- 3) Role Mapping in the MDA
- 4) Implementing Abilities
- 5) More on Roles


Design Patterns and Frameworks, © Prof. Uwe Aßmann



Overview of the Course

2

Prof. Uwe Aßmann, Design Patterns and Frameworks



4

Prof. Uwe Aßmann, Design Patterns and Frameworks



Literature (To Be Read)

- ▶ D. Riehle, T. Gross. Role Model Based Framework Design and Integration. Proc. 1998 Conf. On Object-oriented Programming Systems, Languages, and Applications (OOPSLA 98) ACM Press, 1998. <http://citeseer.ist.psu.edu/riehle98role.html>
- ▶ Liping Zhao. Designing Application Domain Models with Roles. In: Uwe Aßmann, Mehmet Aksit and Arend Rensink. Model Driven Architecture European MDA Workshops: Foundations and Applications, MDFA 2003 and MDFA 2004, Lecture Notes in Computer Science, Volume 3599, 2005, DOI: 10.1007/11538097
 - <http://www.springerlink.com/content/f8u0vmbbt2mf/#section=590861>

Other Literature

- 5
- ▶ T. Reenskaug, P. Wold, O. A. Lehne. Working with objects. Manning publishers.
 - The OOram Method, introducing role-based design, role models and many other things. A wisdom book for design. Out of print. Preversion available on the internet at <http://heim.ifi.uio.no/~trygver/documents/book11d.pdf>
 - Same age as Gamma, but much farer..
 - ▶ H. Allert, P. Dolog, W. Nejdl, W. Siberski, F. Steimann. *Role-Oriented Models for Hypermedia Construction – Conceptual Modelling for the Semantic Web*. citeseer.org.



Goal

- 7
- ▶ Understand the difference between roles and objects, role types (abilities) and classes
 - ▶ Understand role merging
 - ▶ and role mapping to classes
 - How roles can be implemented
 - ▶ Understand role model composition
 - ▶ Understand design patterns as role models, merged into class models
 - ▶ Understand composite design patterns
 - Understand how to mine composite design patterns
 - ▶ Understand role types as semantically non-rigid founded types
 - ▶ Understand layered frameworks as role models



Other Literature

- 6
- ▶ B. Woolf. The Object Recursion Pattern. In N. Harrison, B. Foote, H. Rohnert (ed.), *Pattern Languages of Program Design 4 (PLOP)*, Addison-Wesley 1998.
 - ▶ Walter Zimmer. Relationships Between Design Patterns. *Pattern Languages of Program Design 1 (PLOP)*, Addison-Wesley 1994




10.1 Role-based Design With Role Models

8




A Riddle..

9



Another Riddle..


10



Purpose of Teaching Role-based Design

11


- ▶ Design patterns rely on the concept of *roles*
 - although not described as such in [Gamma]
- ▶ A design pattern must be matched in (mapped to) an application,
 - i.e., there must be some classes in the application that *play the roles* of the classes in the design pattern.
 - Every class in the design pattern is a role type
 - The matched class of the application plays the role of the class in the design pattern



What are Roles?


12

- ▶ A *role* is a *dynamic view* onto an object
 - The view can change dynamically
 - A role of an object belongs to a area of concern
- ▶ Roles are *played* by the objects (the object is the *player* of the role)
 - Playing a role means entering a state
 - Active roles correspond to states of an object
- ▶ Role playing is written by overlapping a role to an object or by the plays-a relation



What are Roles?

- 13 ▶ Roles are *services* of an object *in a context*
 - Roles can be connected to each other, just as services are connected to client requests
- ▶ Roles are *founded*, i.e., tied to *collaborations* and form *role models*
- ▶ A role model captures an *area of concern* (Reenskaug)




What are Role Types?

- 14 ▶ A **role type (ability)** is a *service type* of an object
 - Role types are *dynamic view types* onto an object
 - The role type can change dynamically (*dynamic type*)
 - An object plays a role of a role type for some time
 - A role type is a *part of a protocol* of a class
 - A role is often implemented by interfaces
- ▶ A role type is *founded (relative to collaboration partner)*
- ▶ A *role model* is a set of object collaborations described by a set of role types
 - A constraint specification for classes and object collaborations
- ▶ Problem: often, we apply the word “role” also on the class level, i.e., for a “role type”




A Class-Role-Type Diagram (Class-Ability Diagram)

- 15 ▶ Also called a **class-role model**
- ▶ Abilities (oval boxes) are put on top of classes (rectangles)
- ▶ The set of role types of a class is called its **repertoire** (*role type set*)
 - Any number of roles can be active at a time




A Class-Ability Model For Figures in a Figure Editor

- 16 ▶ A figure can play many roles in different *role models*
 - ▶ Roles may be qualified by a *role model identifier* in brackets
 - ▶ This class-role model is composed out of several simpler role models
- Explanation of some role types:
- ▶ FigureHierarchy.Figure: regular drawing functions
 - ▶ FigureHierarchy.Child: child in a figure hierarchy
 - ▶ FigureObserver.Subject: subject of a Observer pattern, for communication among figures
 - ▶ FigureHierarchy.Parent: parent in a figure hierarchy
 - ▶ IntFigObserver.Subject: subject of a Observer pattern, for communication among figures
 - ▶ FigureChain.Sucessor: sucessor in a threaded list (chain) of figures




Role Constraints in Role Models

- 17 ▶ Arrows denote constraints between roles (role constraints)



More Role Constraints

- 18
- Bidirectional Inheritance means "role-equivalence: a<>b means the object that plays a must also play b and vice versa"
- Role-implication inheritance constraint: a role-implication constraint, stressing that the source can be mapped to a subclass of the target



How To Develop Role Models

- 19 ▶ Ask the central question:
- Which role does my object play in this context?
 - Which responsibility does my object have in this context?
 - Which state is my object in in this context?
- ▶ If you develop with CRC cards, the questions lead to a grouping of the responsibilities (i.e., roles) on the CRC card
- Remember: a role model specifies roles of objects in context, i.e., in a specific scenario
 - Keep the role model slim, and start another one for a new scenario



Role-Based Design with Role Models

- 20 ▶ Role-based design emphasizes *collaboration-based* design
- Starts with an analysis of the collaborations (e.g., with CRC cards)
 - Every partner of a collaboration is a role of an object
 - The role characterizes the protocol (interaction) of the object in a collaboration
- ▶ Benefit of role-based/collaboration-based design
- Roles split a class into smaller pieces
 - Roles emphasize the context-dependent parts of classes
 - Roles separate *concerns* (every role type is a concern)
 - Role models can be reused independently of classes




- ▶ Idea: why not develop with role models?

10.2 Composition of Role Models

21

Role Models of Persons in Business Applications

22



Prof. Uwe Aßmann, Design Patterns and Frameworks




Design Patterns and Frameworks, © Prof. Uwe Aßmann

Role Models of Persons in Business Applications

23

Merging Role Models of Persons in Business Applications


24



Prof. Uwe Aßmann, Design Patterns and Frameworks



▶ Merging role Customer from role models (Customer, Retail, Debtor, Investor)



Prof. Uwe Aßmann, Design Patterns and Frameworks




10.2.1 Merging Role Models into Class Diagrams

25

How role models are merged to class models



Design Patterns and Frameworks, © Prof. Uwe Aßmann



27

Partial class model for figure editor, with some open client roles

Prof. Uwe Aßmann, Design Patterns and Frameworks



Composing Role Models To Partial Class Diagrams

26

- ▶ Classes combine role types
 - Classes are composed of role types
 - Roles are dynamic items; classes are static items
 - So, classes group roles to form objects
- ▶ Class models combine role type models
 - Class models are composed of role models
 - One role model expresses a certain aspect of the class model
- ▶ Partial class models:
 - Role types in a role model can be left dangling (open) for further composition
 - The sub-role-models of a composed role model are called its dimensions
 - A partial class model results

Prof. Uwe Aßmann, Design Patterns and Frameworks



Role Models in the Example

28

- ▶ FigureHierarchy: composite figures (with root figure and other types, such as rectangular or class)
- ▶ FigureChain: How objects forward client requests up the hierarchy, until it can be handled
- ▶ FigureObserver: Observer pattern, for callback communication among clients and figures
- ▶ IntFigObserver: Observer pattern, for communication among figures

Prof. Uwe Aßmann, Design Patterns and Frameworks



10.3 Role Mapping in the MDA

29

Merging role models to class models can be seen as a step of MDA
[Zhao]




Steps In Role-Based Design

Role Modeling

30

- ▶ First, do role models
 - Roles are all kept distinct
 - Find out about role constraints that constraint which objects execute which roles
- ▶ Secondly, compose (merge) them
 - And set up new constraints between roles of different models
- ▶ Thirdly, map role models to class diagram
 - By merging the roles to classes
 - Respecting the constraints
- ▶ Benefit: many different class models from one set of role models! (Gross variability)



Prof. Uwe Aßmann, Design Patterns and Frameworks



The Role Mapping Process and Model-Driven Architecture (MDA)

31


- ▶ The information which roles belong to which class can be regarded as a *platform information*
- ▶ A role model is more *platform independent* than a class model
 - **The decision which roles are merged into which classes has not been taken and can be reversed**
 - We say: roles are *logical*, classes are *physical*
- ▶ In MDA, role models are found on a more platform independent level than class models
 - First design a set of role models
 - Then find a class model by mapping roles into classes
 - Respect role constraints
 - Usually, several class models are legal

Prof. Uwe Aßmann, Design Patterns and Frameworks



Role Model Mapping is a Task in MDA

32



Prof. Uwe Aßmann, Design Patterns and Frameworks



The Influence of the Role Constraints on Role Model Mapping

- 33 ▶ *Role-equivalent constraint*: strong constraint: same implementation class
- ▶ *Role-implication constraint*: weaker, leaves freedom, which physical class implements the roles
 - Map to same classes or subclasses
 - If implemented by the same class, the class model is stricter than the role model
 - Embedding roles in a class reduces the number of runtime objects, hence more efficient, less object schizophrenia
 - Split classes allow for better exchange of a role at runtime, since only the runtime object needs to be exchanged
- ▶ *Role-implication inheritance constraint*: a role-implication constraint, stressing that the source must be mapped to a subclass of the target
- ▶ *Role-use constraint*: translation to delegation possible (different classes)



10.4 Implementing Abilities By Hand

35




Computing Physical Objects by Role Mapping

- 34 ▶ The role mapping process determines, which physical object inherits from which role-interface
- ▶ The role mapping *computes* the physical objects from maximal splits of the logical objects



Role model mapping



Implementation of Abilities


36 Abilities can be mapped into classes (role mapping) in several ways:

- ▶ With interfaces
 - Then, code for the interfaces must be written by hand
- ▶ With multiple inheritance
 - Then, there are two layers of classes: role classes and stanc classes
- ▶ With mixin classes
 - Some language allow for composing “mixin” classes into clas
 - CLOS, Scala
 - “include inheritance” (Eiffel, Sather)
 - A role is like a mixin class
 - No code has to be written by hand




With Interfaces

- 37 ▶ Then, code for the interfaces must be written by hand



With Multiple Inheritance

- 38 ▶ Then, there are two layers of classes: role classes and standard classes
- ▶ A standard class must inherit from several role classes
- ▶ Disadvantage: a standard class can inherit from a role class only once




With Mixin Classes

- 39 ▶ Some language allow for composing "mixin" classes into classes


- CLOS, Scala
- "include inheritance" (Eiffel, Sather)

- ▶ A mixin is a superclass parameterizing a generic super declaration of a base class
- ▶ A role type is like a mixin class
- ▶ Role code can be inherited
- ▶ Features of a mixin are renamed, if it is inherited a second time



Implementation With Multi-Bridges and Role Objects

- 40 ▶ A role object represents only one role
- ▶ A role class only one role type
- ▶ There is a core object that aggregates all role objects
- ▶ Also with "Role Object" pattern (later)
- ▶ Bridge and Multi-Bridge are typical role implementations



Connecting Role Behavior with Embedding Context

41

- ▶ The body of an ability must be embedded into the control- and data-flow of the context code of the class.
- ▶ Wrapper/Decorator:
 - If an ability is implemented as Wrapper (Decorator), it intercepts the control flow inward and outward of a method or class
 - Then, roles can be stacked at run-time (Decorator list)
- ▶ Input Filter/Interceptor:
 - Then the role code is executed before the method or the methods of a class
- ▶ Output Filter:
 - Then the role code is executed after the method or the methods of a class



The Difference of Roles and Facets

42


- ▶ A faceted class is a class with n dimensions
- ▶ If the facet has a collaboration partner, it turns out to be a role
 - Each facet is a role type
 - Role types are independent of each other
 - However, the role type is static, not dynamic: facets are lasting



Solution to the Little Riddles..

43

- ▶ Mother and Father are abilities of classes
- ▶ Man and Woman are facets
- ▶ Person is a natural type



10.4.1. Example of Roles of Persons in Business Applications


44



Role Models of Persons

45


Prof. Uwe Aßmann, Design Patterns and Frameworks



Implementation With Interfaces (or Mixins)

46


Prof. Uwe Aßmann,



Implementation of Person With Multi-Bridge (Role Objects)

47

Prof. Uwe Aßmann, Design Patterns and Frameworks



10.4.2 Example: Actors, Films, and Directors

48




Actors, Films, and Directors

- ▶ We model actors, directors, producers, and their films
- ▶ Actors have a genre (lover, serious, comedian) and play on a certain media (TV, cinema, Shakespeare)
- ▶ Directors and producers have similar attributes
- ▶ Films also
- ▶ Actors have an age (young, medium, old)

49



Example Role Model for Actors



50



There are Many Ways to Implement This Role Model


- ▶ With a facet based model, modelling some role models as class hierachies of a Dimensional Hierarchies model

51



Very Simple Class Model for Actors and Films


- ▶ 4-dimensional model (facets)



52



Some roles implemented by overlaying, inheritance, delegation, and role objects




10.5 More on Roles

10.5.1 Relation of Role Modelling to Other Software Engineering Technologies



Hyperslices are Named Slices Through the Concern Matrix



Hyperslice Composition and Role Mapping

- ▶ Hyperslices (views) are essentially the same concept as role models
 - But work also on other abstractions than classes and feature sets
 - Hyperslices can be defined on statements and statement blocks
 - Role models are more unstructured since they do not prerequisite slices, dimensions, or layers
- ▶ Hyperslice composition is similar to role mapping
 - Is guided by a composition that merges views (roles)
 - Hyperslices are independent (no constraints between hyperslices)
- ▶ Role models implement aspects
 - Because the roles are related by role constraints



Roles vs Facets

- 57
- ▶ A facet is concerned always with *one* logical object
 - A facet classification is a *product lattice*
 - ▶ Role models may *crosscut many objects*
 - They are concerned with collaboration of at least 2 objects
 - Hence, a facet is like a role of one object, but from n facet dimensions.
 - A class can have arbitrarily many roles, but only n facets
 - ▶ Roles may be played for some time; facets must have a facet value the entire lifetime of the object



10.5.2 Role Types Formally

58

Rigid Types

If an object that has a (*semantically*) *rigid* type, it cannot stop being of the type without losing its identity

- 59
- ▶ Example:
 - A Book is a rigid type
 - A Reader is a non-rigid type
 - A Reader can stop reading, but a Book stays a Book
 - ▶ Semantically rigid types are *typed to the identity* of objects
 - ▶ A semantically rigid type is tied to a class invariant (holds for all objects at all times)
 - ▶ A *semantically non-rigid type* is a dynamic type that is indicating a state of the object



Founded Types

- 60
- ▶ A *founded type* is a type if an object of the type is always in collaboration (association) with another object.
 - Example: Reader is a founded type because for being a reader, one has to have a book.

A *role type (ability)* is a founded and non-rigid type
Role types (abilities) are in collaboration and if the object does no longer play the role type, it does not give up identity

Natural types are non-founded and semantically rigid.
Book is a natural type.
A natural type is *independent* of a relationship
The objects cannot leave it



The End: Summary

- 61
- ▶ Role-based modelling is more general and finer-grained than class-based modelling
 - ▶ Role mapping is the process of allocating roles to concrete implementation classes
 - ▶ Hence, role mapping decides how the classes of the design pattern are allocated to implementation classes (and this can be quite different)
 - ▶ Roles are important for design patterns
 - If a design pattern occurs in an application, some class of the application plays the role of a class in the pattern
 - ▶ Roles are dynamic classes: they change over time (non-rigid) and are context-dependent (founded)

