

30. Refactoring based on Metaprogramming

1

Andreas Ludwig

Prof. Uwe Aßmann

<http://recoder.sf.net>

- 1) Refactoring
- 2) Metaprogramming and source transformation
- 3) The Architecture of RECODER
- 4) Requirements, Separation of concerns, Dataflow, Models, Algorithms
- 5) Towards Generic Refactoring Systems



Design Patterns and Frameworks, © Prof. Uwe Aßmann

Obligatory Literature

2

- ▶ Tom Mens and Tom Tourwe. A survey of software refactoring. IEEE Transactions on Software Engineering, 30, 2004.
- ▶ <http://informatique.umons.ac.be/genlog/resources/refactoringPapers.html>
- ▶ Ludwig, Andreas and Heuzeroth, Dirk. Meta-Programming in the Large, Generative Component-based Software Engineering (GCSE), ed. Eisenecker, U. W. and Czarnecki, K., Erfurt, Germany, pages 443-452, Springer, Lecture Notes in Computer Science 2177, 2001
http://dx.doi.org/10.1007/3-540-44815-2_13
<http://www.springerlink.com/content/f56841633653q258/>



Non-Obligatory Literature

3

- ▶ MOOSE refactoring tool set www.moosetechnology.org
- ▶ W. Zimmer. Frameworks und Entwurfsmuster. Dissertation, Universität Karlsruhe 1997, Shaker-Verlag.
- ▶ Benedikt Schulz, Thomas Genssler, Berthold Mohr, Walter Zimmer. On the Computer-Aided Introduction of Design Patterns into Object-Oriented Systems Proceedings of TOOLS 27 -- Technology of Object-Oriented Languages and Systems, J. Chen, M. Li, C. Mingins, B. Meyer, 1998.

- The first time, refactorings were automated in a CASE tool (Together)



30.1 Refactoring

4

- ▶ Refactorings are important
 - To introduce design patterns into programs
 - To change a framework's interface during evolution together with the plugins


A **refactoring** is a semantics-preserving, but structure-changing transformation of a program.
Often, the goal is a design pattern.

A **extension preparator** is a refactoring introducing an extensibility pattern.
Often, the goal is a design pattern.



Refactoring – Main Steps

5



Bad Smell Detection Methods

6

- ▶ Demeter
- ▶ Adaptive Programming
- ▶ Metriken
 - Coupling, Cohesion
- ▶ Analyse
 - Unstructuring
 - Reducibility

A Little History of Refactoring

7

- ▶ 80s: Broad-spectrum languages (CIP) introduce semantic-preserving transformations for program refinement
- ▶ 1987 System REFINE
- ▶ 1992, William Opdyke coined the term *refactoring*
- ▶ 1997, Karlsruhe University started a refactoring tool
 - Based on Walter Zimmer's PhD thesis "Design patterns as operators"
 - Idea: a refactoring is a *semantics preserving operator*, transforming class graphs to class graphs
 - A refactoring operator can be implemented as a static metaprogram
- ▶ 1998, during Zimmer's work was reimplemented into the Together CASE tool, the world-wide first CASE tool with refactoring support
- ▶ 2000, MOOSE implemented language-independent refactoring
- ▶ 2010, Reimann showed role-based generic refactoring



Classes of Refactorings

8

- ▶ **Rename Entity**
 - Entity = class, method, attribute, event, parameter, module, package
 - Problem: update all references on definition-use-graph
- ▶ **Move Entity**
 - Pull Up Entity (the inheritance hierarchy)
 - Push Down Entity
 - Move class feature (attribute, method, exception,...)
 - Problem: shadowing of features along scoping
- ▶ **Split Entity or Join Entity**
 - Method, class, package
 - Problem: updating of references
- ▶ **Outline Entity (Split Off) or Inline Entity (Merge)**
 - Method, generic class
 - Problem: introduction of parameters



Steps of a Refactoring

▶ [Mens/Tourwe]

- 1) Find the place
- 2) Select the appropriate refactoring
- 3) Analyze and verify that the refactoring does not change semantics
- 4) Do it
- 5) Reanalyze software with regard to qualities such as structure, performance, etc.
- 6) Maintain consistency of software with secondary artefacts (documentation, test suites, requirement and design specifications etc)

9

Example: Rename Refactorings in Programs

10

How to change the name of variable Foo and keep the program consistent?
Refactor the name Person to Human:


```
class Person { .. }           ----- Definition
class Course {
    Person teacher = new Person("Jim");
    Person student = new Person("John");
}

class Human { .. }
class Course {
    Human teacher = new Human("Jim");
    Human student = new Human("John");
}
```

An Example of Code Refactoring - Extract Method (Outlining)

11

```
1 public class HelloJava {
2
3     private static int i = 0;
4
5     public static void main(String[] args) {
6         System.out.println("Hello Java");
7         for (; i <= 10; i++) {
8             System.out.println("value: " + i);
9         }
10    }
11
12 }
```



```
1 public class HelloJava {
2
3     private static int i = 0;
4
5     public static void main(String[] args) {
6         System.out.println("Hello Java");
7         iterate();
8     }
9
10    private static void iterate() {
11        for (; i <= 10; i++) {
12            System.out.println("value: " + i);
13        }
14    }
15 }
```

Definition-Use Graphs (Def-Use Graphs) as a Basis of Refactorings

12

- ▶ Every language and notation has
 - **Definitions** of entities (define the variable Foo)
 - **Uses** of entities (references to Foo)
- ▶ This is because we talk about *names of objects* and their *use*
 - Definitions are done in a data definition language (DDL)
 - Uses are part of a data manipulation language (DML)
- ▶ Starting from the abstract syntax, the **name analysis** finds out about the definitions, uses, and their relations (the *Def-Use graph*)
 - Def-Use graphs exist in every language!
 - How to specify the name analysis, i.e., the def-use graph?

Refactoring on Def-Use Graphs

- ▶ For renaming of a definition, all uses have to be changed, too
 - We need to trace all uses of a definition in the Def-Use-graph
 - Refactoring works always on Def-Use-graphs
- ▶ Refactoring works always in the same way:
 - Change a definition
 - Find all dependent references
 - Change them
 - Recurse handling other dependent definitions
- ▶ Refactoring can be supported by tools
 - The Def-Use-graph forms the basis of refactoring tools
- ▶ However, building the Def-Use-Graph for a complete program costs a lot of space and is a difficult program analysis task
 - Every method that structures the Def-Use-Graph benefits immediately the refactoring
 - either simplifying or accelerating it

13

Programming in the Large (1)

How to organize and maintain systems with thousands of components?


- ▶ Software development becomes more than Algorithms & Data Structures.
 - Interface design is a global optimization problem
- ▶ There are non-local dependencies: Changes concerning interfaces become a risk.
 - Hard to foresee what further changes will emerge.
 - Risks: Delay, failure, new bugs...
- ▶ Change is important
 - Reconfiguration: Replace old solutions
 - Variability and extensibility
 - Adaptation: Migrate to new interfaces
 - Reengineering: Problem detection comes first
 - Evolution: Improve the program iteratively and incrementally.
- ▶ An ideal developer would *refactor* changing interfaces and dependent code

14

Refactorings Transform Antipatterns Into Design Patterns

15

- ▶ A DP can be a goal of a refactoring



Prof. Uwe Almann, Design Patterns and Frameworks



30.2 Basic Ways to Realize Refactorings

16



The Metaprogramming Approach to Refactoring

17

- ▶ Program sources are formal languages and contain a lot of accessible information
 - We can analyze and transform programs, especially interface related code (“g
- ▶ A **program** manipulates data.
- ▶ A **metaprogram** is a program that manipulates programs.
 - A metaprogram is a source-to-source transformer
 - At compile time?
 - Used iteratively for incremental changes?



Metaprogramming Variants


18

Times Languages	Static Compile / Link	Dynamic Load / Run
$S \rightarrow S$ Code Structuring Incrementality	Program Transformations, Pattern Refactors	Reflexive Program
$S \rightarrow S'$ Code Extension	Preprocessor, Code Generator, Aspect Weaver	
$S \rightarrow B$	Compiler	Just-In-Time Compiler
$B \rightarrow S$ Code Formatting	Decompiler	
$B \rightarrow B$ Incrementality	Binary Code Optimizer, Linker	Loader, Run Time Optimizer
$B \rightarrow B'$	Binary Code Cross Compiler	Emulator



Compiler versus Source Transformation System

19




Prof. Uwe Almann, Design Patterns and Frameworks



Refactoring can be Based on Graph Rewriting

20



▶ [Mens/Tourwe]

▶ See also course “software tools” (Softwareentwicklungswerkzeuge, SEW)

Prof. Uwe Almann, Design Patterns and Frameworks





30.3 Refactoring Engine RECODER

21

- Contains a compiler-like front-end and a source-to-source transformation library (metaprograms)
- ≈ 100000 LOC (core: ≈ 75000 LOC)
- ≈ 650 classes (core: ≈ 500 classes)
- 5 person-years development.
- Supports Java, including nested classes.



Design Patterns and Frameworks, © Prof. Uwe Alßmann


Design Requirements for Refactoring Tools

22

- ▶ Easy to use refactoring-API
 - Split functionality into services.
- ◆ Deal with any query at any time: Lazy evaluation.
- ▶ Retain Source Structure (source code hygenic)
 - Model must contain structural information.
- ▶ Incremental Evaluation
 - Keep cached data consistent, efficiently
- ▶ Incremental Analysis




Event-Based Architecture




RECODER Java Model

- ▶ Java attributed syntax graph (ASG)
- ▶ Parent links for efficient upward navigation in the scope
 - Linking and unlinking must be done consistently.
- ▶ Abstract supertypes
 - Containment properties
 - Scoping properties
 - Commonalities with byte code
- ▶ Bidirectional definition-reference relation (use-def-use graph for name resolution + cross referencing)




Example: Change Report of a Refactoring

27




```

PrependStatement(R, S) {
  B = Parent(S)
  if B is no Block {
    B = AddBlock(S);
    p = 0;
  } else {
    p = Position(S)
  }
  Attach(R, B, p);
  AddBlock(S) {
    B = new Block;
    Replace(S, B);
    S' = CloneTree(S);
    Attach(S', B, 0);
    return B
  }
}
    
```



Change Report Propagation


28




Change Report Handling

- ▶ Change notification optimization:
 - Delay changes in a queue to avoid traversals.
 - Tag subtree changes as minor to avoid traversals.
 - Clear queue after notification.
- ▶ Rollback support:
 - Keep changes on a stack.
 - To roll back, reverse changes and create reports for changes that already have been reported.
 - Clear stack after commit (or before overflow).

29




Model Elements and Services/Subtools



30

Dataflow between Subtools

31



Change Impact Analysis

32

- ▶ Efficient updates of reference information:
 - If something changes, what are possibly effected declarations and references?
 - Examples follow...
 - Does the target of a reference really change?
 - Access the former result to compare: Cache everything!
 - Only verified cached results can be used for the update.
 - May lead to new change tests, but is guaranteed to stop.
 - Update cached information efficiently.
 - Reference sets instead of lists.



Examples for Change Impacts

33

- ▶ If an expression changes...
 - ...its parent reference might change.
- ▶ If a method declaration/interface changes...
 - ...all inherited, inheriting, inner, outer, possibly overloaded and possibly overloading method references with compatible name and signature might change.
- ▶ If a subtype relation changes...
 - ... references might change as if all former and now inherited member declarations changed.

Transformation Model

34

- ▶ Reify as objects (Command/Objectifier Pattern of GOF).
 - Transformations must be managed for nested transactions.
 - Transformations often have to access analysis results and generated code fragments of subtransformations.
- ▶ Each transformations can yield a problem report or assert program states (e.g. compileable, or idempotent)

Transformation Composition

35

- ▶ Transformations may have dependencies.
- ▶ Ideal Case: 2-pass (analyze - transform)
 - Combinations result in another 2-pass operation.
 - This case is not too rare: Changes of disjoint declarations will affect disjoint references.
- ▶ Usual Case: 1-pass (analyze & transform)
 - Parent transformation must update local data.
 - Restart traversal at the “first” change location.
 - Check idempotency to ensure termination.
 - Worst case: Restart always - $O(n^2)$

Extensibility: Program Models

36

- ▶ New Program Model Entities
 - Add entities as subclasses of the proper types (ModelElement if nothing else applies).
 - Optionally add a management service to locate or create the new entities or keep them persistent.
- ▶ Examples:
 - Design pattern instances documenting interesting structures for quick retrieval (change of design).
 - Box & Hook Model maintained by a BoxInfo.

Extensibility: Metaprograms

37

- ▶ New Analyses
 - Add as auxiliary class/method if there is no need for cached data.
 - Create and register a service to participate at the change propagation, if you need incrementality.
- ▶ New Transformations
 - Simply add new subclasses of Transformation.
- ▶ Examples
 - Reachability analysis (conservative version is local)
 - Composers



30.4 Towards Generic Refactoring

38

- ▶ What kind of document can we transform?
 - Strongly typed source code.
 - Makefiles?
 - XMI documents?
 - HTML pages?
 - A spreadsheet document?
- ▶ They all obey certain formal rules...
- ▶ The RECODER change mechanisms operate on syntactic level.
- ▶ Formal documents are structured.
 - Terminal nodes, non terminal nodes, containment relation forming a tree.
 - Syntax Trees, XML Documents.
- ▶ The architecture works for syntactic documents, if we add content type handlers.



How to Refactor Everything?

39

- ▶ Formal documents have a static semantic.
 - Different node types (e.g. Identifier, Operator)
 - Statically computable n-ary predicates
 - e.g. `isAbstract(Method)`, `refersTo(Reference, Definition)`
 - Computation of these properties, relations etc. is highly specific.

```
class X {  
    /*nonsense*/  
    X myself;  
}
```

```
<A NAME="X"></A>  
nonsense  
<A HREF="#X">myself</A>
```



How to Refactor Everything?

40

- ▶ Except for some parts of the parser, RECODER has been created manually.
- ▶ We need toolkits that create
 - a parser (including comment assignment and indentation information),
 - an unparser (customizable),
 - incremental semantic analyzers,
 - atomic type-safe transformations
 - from some suitable definitions (AGs?)



The End

41

- ▶ Talk courtesy to Andreas Ludwig (2004)
- ▶ Work on RECODER started 1997 (A. Ludwig), still running
 - recoder.sf.net
 - Attempt to commercialize in 2001-2 (Sweden)
 - Open source since 2001
- ▶ A. Ludwig. Automatische Anpassung von Software. Dissertation. Universität Karlsruhe, 2002.