22. The San Francisco (SF) Framework for Business Applications

Prof. Dr. U. Aßmann Chair for Software Engineering Faculty of Informatics Dresden University of Technology 13-1.0, 1/2/14

- 1) Architecture of SF
- 2) Extensibility Mechanisms
- 3) Special SF Patterns



1

Design Patterns and Frameworks, © Prof. Uwe Aßmann

San Francisco – Obligatory Literature

K.A. Bohrer: Architecture of the San Francisco frameworks http://researchweb.watson.ibm.com/journal/sj/372/bohrer.html



San Francisco – Non-Obl. Literature

- P. Monday, J. Carey, M. Dangler. SanFrancisco Component Framework: an introduction. Addison-Wesley, 2000. Overview on San Francisco and its layered architecture.
- J. Carey et al.: SanFrancisco Design Patterns: blueprints for business software. Addison-Wesley, 2000.
- Carey, Carlson, "Framework Process Patterns: Lessons Learned Developing Application Frameworks", Addison-Wesley, 2002
- Carey, Carlson, Graser, "SanFrancisco Design Patterns: Blueprints for Business Patterns", Addison-Wesley, 2000.
- IBM SanFrancisco Documentation Entry http://csiserv01.centerprise.com/techdoc/SF/doc_en/ibmsf.sf.FS_DocumentationEntry.html




What is San Francisco (SF)?

- Business framework of IBM, to support the building of business applications
 - started in March 1995, initial release Aug 1997, stopped in 1999
- Arranged as layered frameworks
 - Supporting distributed applications
- Based on business-specific Design Patterns
- Design goals
 - flexibility by using object-oriented framework technology
 - Dynamic extensibility
 - Maximal reuse
 - Isolation from underlying technology
 - Focus on the core, provide the common tasks of every business application
 - Rapidly building quality applications
 - Integration with existing systems

Prof. Uwe Aßmann, Design Patterns and Frameworks

San Francisco Architecture

- Foundation: infrastructure and services (transactions, collections, administration, conflict control, installation), hides differences in underlying technology
 - Common Business Objects: implementations of business objects that are common to more than one domain
 - Core Business Processes: business objects and default business logic for selected vertical domains (accounts receivable/accounts payable, general ledger, order management warehouse management)



S

Common Business Objects (from the Domain Model)

- General business objects:
 - Value objects: Address, currency, natural calendar
 - Company
 - Business partner, customer
 - Decimal structure of numbers, number series generator
 - Document location
 - Fiscal calendar
 - Initials
 - Payment method and payment terms
 - Unit of measure

- Financial business objects
 - Value objects: Money, currency gain
 - Account, loss account
- Generalized mechanisms
 - Cached balances
 - Classification
 - Keys and Keyables



Component Model of SF: *Entity* (Dynamically Extensible Classes)

- Entities: Dynamically extensible components in SF
 - *materials*, also persistent
 - with global identifiers (handles, guids)
 - Created via factories, entered into containers
 - Split into interface class and implementation class
- Entities are similar to *Java Entity Beans.*
 - Hence, IBM started a move to port onto EJB, but this was very difficult

- Standard Functions:
 - constructor (factory method). Calls a global factory
 - initialize
 - getters and setters
 - set ownership of an entity (to an entity container)
 - destroy
 - externalizeToStream
 - internalizeFromStream
- Global functions:
 - begin, commit, rollback transaction
 - Manage work area for a thread



Core Business Processes

- Common Function Financial Interface (CFFI): common functionality used by other business processes
 - Warehouse management
 - Stock movements
 - Quality control
 - Order management (sales, purchase)
 - Order data interchange planning
 - Pricing, discounts, order acknowledgment
 - Accounts payable (AP), Accounts receivable (AR)
 - Payment process
 - Business task transfer to other partners
 - General ledger
 - Journaling (creating, validating, maintaining journals)
 - Closing at the end of a financial year

Prof. Uwe Aßmann, Design Patterns and Frameworks

22.1 Extending San Francisco

Dynamic Extension of


- Classes by dynamic subclassing
- Object life cycles by state maschine extension
- Business rules



Design Patterns and Frameworks, © Prof. Uwe Aßmann

22.2.1. Extending Classes by Dynamic Subclassing


- Business objects are extensible by subclassing (white-box extension)
 - Classes can be marked as extension points inheriting from Entity
 - Naming scheme E<number>_<name>
 - Subclasses of class PropertyContainer are extensible via a special Design Pattern
 - New attributes (properties) can be added dynamically, without recompilation. Access works via hash tables
 - *Dynamic identifiers* for extending value ranges of business value domains



S

Dynamic Class Extension by Pattern "Property Container"


- Intent: dynamically extend an instance of class (a business object class) with new properties (dynamically new attributes)
- Motivation: adding dynamically new data, properties or capabilities to specific instances of business objects
 - Qualified association with key "propertyname:String"
- Related Patterns: Chain of Responsibility, Controller





How SF Should have Been: Dynamic Extension by Roles


- Class modeling does not distinguish roles (context-based und non-rigid knowledge)
 - Roles separate the functional core iof an object of the context-specific (founded) und temporary (non-rigid) features






How SF Should have Been: Dynamic Extension by Roles

- Property Container is not necessary, because roles add properties to core objects
- Dynamic class inheritance is replaced by <<plays-a>>



22.2.2 Lifecycle of Business Objects (Business Workflow, Process)

- A business workflow in SanFrancisco is described by an *extensible state* machine (statechart)
 - However, in the form of a state transition *and* decision table
 - The table rows contain conditions and actions (CA-Rules) and change the state of the process
 - The statechart can be extended dynamically with new paths
 - As an action, a transition can extend the statechart (or shrink it)




Prof. Uwe Aßmann, Design Patterns and Frameworks

S

SF Business Objects are Context-Adaptive (Cyclic) Automata

S




22.2.3. Representing Extensible Business Rules by Policy Classes

- Policy Patterns is an extensibility pattern to implement business rules
 - Policy classes implement business rules a Strategy (TemplateClass)
 Pattern as extension points
 - ChainOfResponsibility as extension points (for multiple policy objects and multiple business rules), e.g., for specific rules of product, system, company, globally
 - Composite as extension points: Policies may be added that search for policies (higher-order policies) in composite data structures



Simple Policy Pattern (for Simple Business Rule)


- Intent: encapsulate business rule as a set of methods in an object, make them interchangeable and produce independence from affected business objects
 - Motivation: different versions of a algorithm are required dependent on the specific situation in a company
 - Related Patterns: Simple Policy is a Strategy. Additionally, the strategy method implements a method in the domain business objects with the same name (method factoring). Hence, the BO *delegates* the computation of the business rule to the strategy





Chain-Of-Responsibility-Policy Pattern

- Intent: encapsulate complex business rule(s) as a chain-of-responsibility
- Motivation: many rules are available for a business case and must be exchanged dynamically.
- Related Patterns: A typical 1-TH-pattern. COR-Policy is a Chain, combined with a Strategy. The Chain is searched for appropriate rules that apply to the current state of business.
 - Search order can be changed by higher-order policies







22.3 San Francisco Design Patterns

- San Francisco uses several new business-related Design Patterns meeting particular problems of business applications
 - analyzing typical business applications and developing generic solutions for recurring problems
 - encourage object-oriented implementation of business software
 - several patterns for several aspects of business tasks



SF Design Patterns

Foundational Patterns:

- Dynamic Class Replacement
- Special Class Factory
- Property Container (extensible class)
- Business Process Command <u>Process Patterns</u>:
- Cached Aggregate
- Keyed Attribute Retrieval
- List Generation

Behavioral Patterns:

- Simple Policy
- Chain of Responsibility-Driven Policy
- Token-Driven Policy

Structural Patterns:

- Controller
- Key/Keyable
- Generic Interface


Dynamic Behavioral Patterns:

- Extensible Item
- Hierarchical Extensible Item
- Business Entity Lifecycle
- Hierarchy Information
- Decoupled Processes



Selected SF Patterns: Dynamic Class Replacement Pattern


- Intent: change the behavior without changing the class or application logic. Provides a kind of super factory, a factory delivering factories
 - <u>Motivation</u>: replace provided business objects with others that have been tailored for a specific application
 - Related Patterns: Abstract Factory and Factory Method





Selected SF Patterns: Business Process Command

- Intent: a logical business object is implemented as multiple physical objects and support one business process
 - <u>Motivation</u>: encapsulating a business process (a *tool*) in a command, thus a logical object combines a group of physical objects
 - Related Patterns: Command, Template Method, Facade





What Have We Learned?

- Big business frameworks are structured according to the principles of variability and extensibility we have studied in the course.
 - IBM San Francisco manages extension points and types them with certain framework hook patterns, e.g., Strategy/Policy, or Chain.
 - If you ever design a business framework, do it
 - Layered framework
 - Roles for dynamic extension
 - The SF patterns



