

21) Functional and Modular Design

Prof. Dr. U. Aßmann
Technische Universität Dresden
Institut für Software- und
Multimediatechnik

[http://st.inf.tu-
dresden.de/teaching/swt2](http://st.inf.tu-dresden.de/teaching/swt2)




WS17/18 15.01.2018

Lecturer: Dr. Sebastian Götz

1. Functional Design
2. Modular Design (Change-Oriented Design)
3. Use-Case Based Design

Obligatory Readings

- S. L. Pfleeger and J. Atlee:
Software Engineering: Theory and Practice.
Pearson. 2009.
 - Chapter 5 (Designing the Architecture)
- C. Ghezzi, M. Jazayeri and D. Mandrioli:
Fundamentals of Software Engineering.
Prentice Hall. 1992.
 - Chapter 4 (Design and Software Architecture)
- M. Shaw and D. Garlan:
Software Architecture: Perspectives on an Emerging Discipline. Prentice Hall, 1996.



- [Parnas] David Parnas. On the Criteria To Be Used in Decomposing Systems into Modules. Communications of the ACM Dec. 1972 (15) 12.

21.1 FUNCTIONAL DESIGN

Function-Oriented Methods

- Examples:
 - **Stepwise function refinement** resulting in function trees
 - Modular decomposition with information hiding (Change-oriented modularization, Parnas)
 - Meyers Design-by-contract: Contracts are specified for functions with pre- and postconditions
 - (see OCL lecture)
 - Dijkstra's and Bauer's axiomatic refinement (not discussed here)

**Which functionality will the system have?
What are the subfunctions of a function?**

A Start for a Function Tree


- How to design the control software for a tea automaton?

Produce Tea




First Refinement of a Function Tree

Produce Tea
.. is composed of ..
Put tea in pot
Add boiling water
Wait




Second Refinement of a Function Tree

Produce Tea
Put tea in pot
Fetch tea from tea box
Open pot
Close pot
Add boiling water
Wait



Third Refinement of a Function Tree

Produce Tea
Put tea in pot
Fetch tea from tea box
Open pot
Close pot
Add boiling water
Boil water
Open pot
Pour water in
Close pot
Wait




Function Trees

- Function trees can also be derived by a 1:1 mapping from a functional requirements tree (see ZOPP requirements lecture)
- Usually, for a system several function trees are developed, starting with top-level functions in the *context model*
- **Stepwise Refinement** works usually top-down (Hierarchic decomposition)
 - Bottom-up strategy (composition) possible
 - Middle-out strategy blends composition and decomposition
 - Development of the “subfunction-of” (“call”) relationship: a part-of relationship for functions: the function has which parts (subfunctions)?
 - Usually implemented by call relationship (call graph)
- **Syntactic stepwise refinement** is indifferent about the semantics of the refined model
- **Semantic stepwise refinement** proves that the semantics of the program or model is unchanged
 - Systems developed by semantic refinement are **correct by construction**
- Functions are **actions**, if they work on *visible* state
 - In functional design, state is disregarded
 - State is important in action-oriented design, actions are usually related to state transitions!


Function Polyhierarchies

- If subfunctions are shared, **polyhierarchies** result with several roots and shared subtrees



Function Nets

- Functions are arranged in a directed acyclic graph



Other Trees with Other Part-Of Relationships

- Many concepts can be stepwise refined and decomposed. Hierarchic decomposition is one of the most important development methods in Software Engineering:
- Problem trees
- Goal trees
- Acceptance test trees
- Requirements trees
 - Function trees
 - Feature trees (function trees describing grouping, variability and extensibility)
- Attack trees
- Fault trees
-
- The development is always by **divide and conquer**.
- Think about: Which part-of relationships do they develop?

21.1.2 MODULAR COMPOSITION: GROUPING MODULES AND COHESION

Grouping Functions to Modules to Support Cohesion

- Group functions according to cohesion: “which function belongs to which other function?”
- Minimize coupling of modules
- Maximize coherence: encapsulate dependencies within a module

```
Module Tea Automaton {  
    Produce Tea  
  
    Add boiling water  
    Wait  
}
```





```
Module Tea Box {  
    Fetch tea from tea box  
}
```

```
Module Water Boiler {  
    Boil water  
}
```

```
Module Pot {  
    Open pot  
    Put tea in pot  
    Pour water in pot  
    Close pot  
}
```

Grouping Functions to Modules *or* Classes in UML

- Functions can often be grouped to objects (object-oriented encapsulation)
- Then, they can be actions working on the state of the *object* (begin of object-orientation)




Heuristics and Best Practices

- Don't group too many items onto one abstraction level or into one module (**slim interface** principle)
- Technical modules or classes (classes that do not stem from domain modeling) can be found in similar ways, by grouping cohesive functions together
- Identify **material** modules or classes with CRUD interfaces (see TeaBox and Pot):
 - Create
 - Read
 - Update
 - Delete
- Identify **tool** modules or classes with “active functions”:
 - List<Material>
 - Edit<Material>
 - Navigate<Material>
- Identify **command** modules or classes (Design Pattern Command)
 - Tools are specific commands, working on materials

Result: Call-Based Architectural Style

- Functional design leads to **call-based architectural style** with statically known callees (static call graph)



Grouping Other Trees with other Part-Of Relationships

- Any hierarchic relationship can be grouped to modules based on cohesion
- Problem trees → problem modules
- Goal trees → goal modules
- Acceptance test trees → acceptance test modules
- Feature trees (describing variability, extensibility) → Feature modules
- Attack trees → attack modules
- Fault trees → fault modules
-

Why is Function-Oriented Design Important?

- Implementation of function trees in a functional language
 - ... or a modular imperative language, e.g., Modula, C, or Ada-83.

In some application areas, object-oriented design and languages have severe disadvantages:

- Employment in safety-critical systems:
 - Proofs about the behavior of a system are only possible if the architecture and the call graph are *static*. Then they can be used for proofs
 - Due to polymorphism, object-oriented systems have dynamic architectures (don't program your AKW with Java!)
- In embedded and real-time systems:
 - Object-oriented language implementations usually are slower than those of modular languages
 - ... and eat up more memory
- In high-speed systems:
 - Operating systems, database systems, compilers, ...

(Rep. from ST-1, left out here)

21.2 CHANGE-ORIENTED MODULARIZATION WITH INFORMATION HIDING (VARIABILITY)

What is a Module?

- Software should, according to the divide-and-conquer principle, also physically be divided into basic parts, **modules**
 - A module groups a *set of functions or actions*
 - A module can be developed independently
 - errors can be traced down to modules
 - modules can be tested before assembling
 - A module can be exchanged independently
 - A module can be reused
- The terms *module* and *component* mean pretty much the same
 - Often, a module is a programming-language supported component
 - Here: a module is a simple component
 - In the past, different component models have been developed
 - A component model defines features of components, their compositionality, and how large systems are built with them (architecture)
 - In course “Component-based SE”, we will learn about many different component models

How To Modularize a System?

- Parnas principle of *change-oriented modularization (information hiding)* [Parnas, CACM 1972]:
 - 1) Fix all design decisions that are likely to change
 - 2) Attach each of those decisions to a new module
 - The design decision becomes the secret of a module (called *module secret*)
 - 3) Design module interface that does not change if module secret changes

- *Information hiding relies on module secrets*
- Possible module secrets:
 - How the algorithm works, in contrast to what it delivers
 - Data formats
 - Representation of data structures, states
 - User interfaces (e.g., AWT)
 - Texts (language e.g., gettext library)
 - Ordering of processing (e.g., design patterns Strategy, Visitor)
 - Location of computation in a distributed system
 - Implementation language of a module
 - Persistence of the data

Module Interfaces

- Should never change!
 - Well, at least be *stable*
- Should consist only of functions
 - State should be invisible behind interfaces
 - Direct access to data is efficient, but cannot easily be exchanged
 - e.g., empty set/get methods for accessing fields of objects
- Should specify what is
 - Provided (exported)
 - Required (imported)

Different Kinds of Modules

- Functional modules (without state)
 - sin, cos, BCD arithmetic, gnu mp,...
- Data encapsulators
 - Hide data and state by functions (symbol table in a compiler)
 - Monitors in the parallel case
- Abstract Data Types
 - Data is manipulated lists, trees, stacks, ..
 - New objects of the data type can be created dynamically
- Singletons
 - Modules with a singular instance of a data structure
- Data-flow processes (stream processors, filters)
 - Eating and feeding pipelines
- Objects
 - Modules that can be instantiated

Conclusion of Information-Hiding Based Design

We have seen how important it is to focus on describing *secrets* rather than interfaces or roles of modules.

When we have forgotten that, we have ended up with modules without clear responsibilities and eventually had to revise our design.

[Parnas/Clements, The Modular Structure of Complex Systems, CACM]

Conclusion of Information-Hiding Based Design (2)

- Product lines (product families) are a major business model for software companies.

Modularity is the basis of all product lines.

(repetition from ST-1)


21.3 FUNCTION-ORIENTED DESIGN WITH USE-CASE DIAGRAMS

Use Case Diagrams

- Use Case Diagram (UCD) can be used in functional design
 - A Use Case Diagram consists of several use cases of a system
 - A use case describes an application, a coarse-grain function or action of a system, in a certain relation with actors
 - A use case contains a scenario sketch
 - Pseudocode text which describes the functionality
 - Use Case diagrams can be used in Function-Oriented, Action-Oriented, or in Object-Oriented Design
- From UCD, a function tree can be derived

Example Service Station


- A Service Station has 4 tasks [Pfleeger]
 - Parking
 - Refueling
 - Maintenance
 - Preventive Maintenance



Questions for Use Cases


- What is the system/subsystem?
- Who is Actor?
 - A user
 - An active object
 - A person
 - A system
 - Must be external to the described system
- What are the Applications/Uses?
- What are the relations among Use Cases
 - Extends: Extend an existing use case (Inheritance)
 - Uses: Reuse of an existing use case (Sharing)

- Which
 - Users
 - External systems
 - Use
 - Need
- The system for which tasks?
- Are tasks or relations to complex?




Refinement Service Station

- We introduce an abstraction of the services




Second Refinement Service Station



Third Refinement Service Station

- The <<includes>> relationship allows for decomposition of a use case. <<includes>> is a form of <<part-of>>




Consistency Checking Check List Use Case Diagrams

- One diagram
 - Clarity
 - Simplicity
 - Completeness
 - Match the stories of the customer?
 - Missing actors?
- Several diagrams
 - Which actions occur in several diagrams? Are they specified consistently?
 - Should actors from shared actions be replicated to other UCD?

Deriving an Function Tree from a Use Case

- DomainTransformation: From a UCD, set up a function or action tree
 - <<includes>> expresses a part-of hierarchy of function
- Refinement: Refine the functions by decomposition



Benefits of Use Cases

- Use cases are good for
 - Documentation
 - Communication with customers and designers -> Easy
 - Are started for the first layout of the structural model
 - To find classes, their actions, and relations
 - In eXtreme Programming (XP), use cases are called „stories“
 - which are written down on one muddy card
 - collected
 - and implemented one after the other
 - XP does not look at all use cases together, but implements one after the other

The End