

Role-based Context-Aware Software Infrastructures (RoSI)

2. Context- and Role-Oriented Modeling and Development


Prof. Uwe Aßmann

Version WS 19/20, 1.1, 10/21/19


The RoSI Cube

2.1 Roles are a Core Concept in Software Development


Hypothesis: Roles are a Core Concept of Software Development




Hypothesis: Roles are a Core Concept of Software Development - *Universality*




Hypothesis: Roles are a Core Concept of Software Development - *Crosscutting*



Hypothesis: Roles are a Core Concept of Software Development - *Practicality*




Hypotheses of Role-Oriented Software Infrastructures



The RoSI Cube

2.2 Roles as a Universal Core Concept in Software Development


Objective 1: Roles are a Core Concept of Software Development - *Universality*



- Fine-grain information for better analysis of life times
- Behavior abstraction for better provability
- Better extensibility
- Better substitutability

2.2.1. Fine-Grained Information for Separation of Concerns

Different Attributes




Different Attributes

:Person	
name = "Peter" taxId = 0493027940	<<core>>
marriedTo = "Silvie" fatherTo = "Vanessa" employeeOf = "Folgswagen"	<<roles>>
heart = "heart12303" knee = "knee23"	<<intrinsic parts>>
foodInStomach = "apple"	<<transient parts>>
age = "grown-up"	<<phases>>

Cores and Mixins

("Subobjects", "Satellites")

Role arrows are drawn with
Rounded source



Separation of Concerns with Roles: Distinguishing Life-Times

- Roles are contextually dependent (founded), and have a different life-time as the core
 - → Memory allocation must be different
- Distinguish core-local, role-local, role-alternative, role-shared memory between core and roles
 - natural memory (core-local memory)
 - founded memory (context-dependent memory)
- Roles-of-roles (deep roles) are stacked upon roles;
 - Obstack allocation possible (mark-release heaps)

Roles can improve knowledge about life-time and co-life-time of memory

Separation of Concerns with Roles: Alias Freedom and Data Independence

- Natural and role-local memory are alias free
- Shared memory is still problematic (competitive writes)


Roles can improve life-time and independence knowledge

Role Types are Metatypes (Mixin Types)

- A **metatype** describes a type (is a type of a type) [Guarino:OntoClean]
 - Natural Type
 - Part Type (intrinsic, shared, owned,..)
 - Role Type
 - Facet Type
 - Phase Type

Hypothesis:
The distinction of metatypes promotes
Separations of Concerns.

Distinguishing Mixin Types (“Colors”, “Metatypes”, “Satellite Types”)



Separation of Concerns Helps

- The distinction of **metatypes** enables us to separate more concerns (SoC)
 - And bring it to run-time: Life-time, independence,
 - Cross-cutting: traceability, certification,...

Roles can improve modeling and programming.

Role-Oriented Context-Aware Software Infrastructures (ROSI)

2.2.2. Abstraction of Object Behavior - Compartments and Role Playing

Roles are a Core Concept

Advantages of Roles:


The Role-Play Automaton

The Role-Play Petri Net


Role-Play Nets

- The **role-play (petri) net of an object** switches in and off the object's roles
 - Specifies constraints on the order of the role play
 - Thereby constraints on the compartment activation
- Roles are specific states indicating
 - There is a compartment active to which the role belongs
 - There is a partner role within the compartment that can be called or notified or streamed
- Two forms:
 - Role-Play automaton (sequential)
 - Role-play net (parallel)


Aquisition and Loss of Roles




- Acquisition and Loss of Roles creates an **Role-Play Automaton** *abstracting the behavior of a class of objects*




Aquisition and Loss of Roles with Role-Play Automata




- Acquisition and Loss of Roles creates an **Role-Play Automaton** *abstracting the behavior of a class of objects*
- *Here:* some states with the same color are coupled



Aquisition and Loss of Roles with Role Nets



- Acquisition and Loss of Roles of parallel objects and their state transitions creates a **Role-Play Net** indicating parallel transitions
- **Here:** exclusive compartments, exclusive roles
- Coupling via synchronizing transitions



A Fancy Observation

Humans think and argue based on Role-Play Nets


- “become a father”
- „if you are a husband, you should care about your wife“
- “become a driver”, „drivers, watch out for pedestrians“
- “cease to be an employee”
- “cease to be student”

Role-Play Net of a Compartment

- The **role-play net of a compartment** is the view on all role-play nets comprising all roles places of the compartment.
- When a compartment is activated there is the constraint that
 - all the compartment's roles in all their players are activated (firable)
 - Otherwise the net is inconsistent.
- When a compartment is deactivated there is the constraint that
 - all the compartment's roles in all their players are deactivated (non-firable)

Parallel Aquisition and Loss of Roles

- Parallel Aquisition and Loss of Roles in a parallel class creates an **Role-Play (Petri) net**



Regular Adaptability and Variability

- Many applications have a restricted form of adaptability (variability)
- A **regularly adaptable class** has a finite role-play automaton with n compartments as states
 - Infinitely many adaptations, but regularly many

The role-play petrinet of a regularly adaptable class is k -bounded.

Roles are a Core Concept

2.2.3. Advantages of Roles: Behavioral Extensibility

Extensibility as a Universal Feature of Role-based Infrastructures


- New compartments with their roles can easily be integrated into an application → extensibility (see lecture 01)
- Roles may have different implementation paradigms (groundings):
 - Functional programs
 - Workflow nets
 - Data-flow nets (see MOST)
 - Attributed trees (see MOST)
- All of them have the extensibility feature, but use different „open operators“ for extensions.

Example: Extending Role-based Systems Grounded by Workflow Nets (Petri Nets)


- With an appropriate behavioral specification language, role classes and natural classes can be extended with regard to behavior
- Example: Workflow Nets are a specific form of Petri Nets
 - **Place workflow nets** have one single input place and a single output place
 - **Transition workflow nets** have one single input transition and a single output transition
- For extension (and variation) of behavior of classes, we use the extension of AND, OR, XOR split and join *open transition operators*

Complex Transition Operators in Workflow Nets: Join and Split „Open“ Transitions (of YAWL)


- All incoming places are ready (conjunctive input, AND-join)




- One out of n incoming places are ready (disjunctive input)




- Some out of n incoming places are ready (selective input)




- All outgoing places are filled (conjunctive output, AND-split)



- One out of n outgoing places are filled (disjunctive output, XOR split)




- Some out of n outgoing places are filled (selective output, OR-split)




Extension of Workflows with new Place Workflow Nets

- Behavior can be added in *slices* to *open* split and join operators




Extension of Workflows with new Place Workflow Nets

- Behavior can be added in *slices* to *open* split and join operators




Extension of Workflows with new Place Workflow Nets

- with AND semantics



Extension of Workflows with new Place Workflow Nets

- with OR semantics



Roles as a Core Concept in Software Development


2.2.4 Better Substitutability: Role-Specific Contracts

Separation of Concerns with Roles: Role-Based Contracts are Context-Based

- Contracts describe conditions for *substitutability*
- A **contract** is a constraint on inputs (precondition), outputs (postcondition) and invariants of a component (see courses CBSE, ST)
- Life-time and Alias Independence enable simpler proof of contracts
- The Role-Play Automaton determines which contracts are active
 - in which context


Roles can improve contract theory for sequential and parallel classes

Summary: Roles are a Core Concept of Software Development



2.3. Roles are a Concept Crosscutting all Phases

Objective 2: Roles Crosscut all Development Phases



Roles as a Concept Crosscutting all Phases

2.3.1 Roles in Software Modeling

Role-Oriented Context-Aware Software Infrastructures (ROSI)

2.3.1.1. How to Do Object-Oriented Analysis with ROSI

RoSI Object Models

RoSI Component Models

- An **Object Model** describes a structure and behavior for all objects in all phases of the life cycle
 - It forms type systems
 - specification languages
 - the parallelism available
- Roles and Contexts can be used in Object-oriented Analysis (OOA), offering a very flexible object model

Object-Oriented Analysis with ROSI

Step 1: Ask for the Core Objects with Natural Types

Max:Person

:Resource

Buy24:Bank

Bnn:Newspaper


thuringa:Sausage

Rosi:Woman

Frank:Man



Object-Oriented Analysis with ROSI

Step 2: Ask for the Roles with Founded Types



Object-Oriented Analysis with ROSI



Step 3: Ask for the Contexts and Compartments of the Roles



Object-Oriented Analysis with ROSI

Step 4: Dynamic Variation: Variant with Contexts

Family and Money





Object-Oriented Analysis with ROSI

Step 4b: Dynamic Variation:

Variant with Contexts



Nutrition and Family



Object-Oriented Analysis with ROSI

Step 4c: Dynamic Variation: Variant with Compartment Hierarchy

(Money, Resources) < Business | Family




Fakultät Informatik
Lehrstuhl Softwaretechnologie


2.2. Scenario Fire Alarm – in the CROM Modeling Language

Context-Dependent Runtime Models

Compartment Role Object Model (CROM) [Kühn2015]




Legend




Fills relation →

Context-Dependent Runtime Models

Compartment Role Object Model (CROM) [Kühn2015]



Legend




Cardinality

Relationship Type


Fills relation →

Context-Dependent Runtime Models

Compartment Role Object Model (CROM) [Kühn2015]




Legend



Context-Dependent Runtime Models

Compartment Role Object Model (CROM) [Kühn2015]




Key properties

- Roles and Relationships depend on the compartments (contexts)
- Roles change over time
- Compartments, “players” and roles have their own identity
- Formal definition of *well-formedness*, *compliance*, and *validity*

Context-Dependent Runtime Models

Compartment Role Object Instance (CROI) [Kühn2015]




Roles as a Concept Crosscutting all Phases

2.3.3 Role Refinement in Model-Driven Software Development (MDSD) and Model-Driven Architecture (MDA)

Role-based Refinement in the MDSD- and MDA-Process

Model-driven Architecture (MDA)



Requirements

Design


Implementation

Run-time

- Refinement by allocation of additional roles
 - Better traceability
- Platform-features are „technical“ Roles of an object
 - Dynamic contexts (space, time, quality of service)

Causal connection of context-based features and fluidity from requirements level to run time

The Extended MDSD/MDA-Process with Contexts and Roles




Good Mapping of Conceptual Role Models to Physical Class Models

- Role instances must be
 - embedded into core objects
 - or become physical role objects
- **Role mapping:** Mapping conceptual role types to physical implementation-records is an *Embedding Decision*
- For one conceptual model, many alternative physical models


Computing Physical Representation from Conceptual Models

- Role embedding determines, which roles are embedded into which physical objects




2.5.3 Role-Mapping MDA with Scenario „Families and Banks“


Families, Resources and Banks (Snapshot, Object-Role Model)




Families and Banks in Natural and Role Types



Implement „Families and Banks“ (Delegation to Role Objects - „Split Design“)




Implement „Families and Banks“ (Delegation to Role Objects – Design „Inheritance Embeds Roles in Players“)



Usual design; this mixes dynamic, polymorphic red inheritance with static inheritance


Implement „Families and Banks“ (Delegation to Role Objects – Design „Roles Embedded in Relations“)



Usual design; this mixes dynamic, polymorphic **red** inheritance with static inheritance


Scalable Binding Times of Contexts

- Problematic: Role mapping fixes binding time



The Role-Mapping Process and Model-Driven Architecture

- The question “Where is a role embedded?” is a *platform decision* in Model-Driven Architecture (MDA)
 - A role model is more *platform independent* than a class model
- → Role mapping is a task in Model-Driven Architecture (MDA)




Role Mapping MDA Yields Scalability

- From one conceptual role-based design, derive via Role-MDA:
 - many physical designs
 - many run-time behaviors with different QoS
- When to embed?
 - At compile-time
 - At run-time
- Tuning and optimization possible

Role embedding delivers variable implementations,
scalable in splitting, locality and allocation


How to Achieve Scalable Binding Times of Contexts

- **Scalability:** Roles and their contexts can be statically bound
- Effects on Life-time, aliases and dependencies, cohesion, allocation, adaptation, reconfiguration




2.4. Roles are a Concept for Language Modeling and Language Engineering

The IRDS/MOF Metamodelling Hierarchy




Metalevels in Programming Languages (The Meta-Pyramid)



Context-Based Modelling of Languages on M2

- Role-types factor concept hierarchies into context-free and context-dependent features
- Improved separation of concerns
- [Wende] PhD Thesis

M2





Context-Based Modelling of Languages on M2



- Context-dependent features can easily be exchanged

M2

Language Component 1



Language Component 2





Context-Based Modelling of Languages on M2


- Modular languages
 - Domain-specific languages
 - Ontologies

M2

Language Component 1




Language Component 3




2.3.3 Roles are a Concept for Run-Time Infrastructures

Objective 3: Investigation of Context-Based and Fluid Run-Time-Infrastructures




Context-Based and Fluid Run-Time Features

- Fluid complex objects can be dynamically reconfigured
- Context-dependent run-time behavior
- Fine-grained monitoring, persistency, adaption




Dynamic Mixins

- Can role types be *mixed into* core types at run-time?




Dynamic Mixins

- Can role objects be *mixed into* core objects at run-time?
- Yes – by memory compaction in JIT recompilation




Dynamic Mixins

- But role instances can also be *outlined* again




Dynamic Mixins

- But role instances can also be *outlined* again
- To change the role type




Dynamic Mixins

- And then re-inlined (dynamic mixin)
 - by memory compaction during JIT re-compilation




Dynamic Mixins

Role-based run-time infrastructures can optimize locality of roles dynamically
by dynamic mixins and recompilation



2.5. Roles are a Practical Concept

Objective 4: Practicality in Application Areas




Practicality of Role Modeling

- Business Informatics (Wirtschaftsinformatik)
 - Improved Modeling of business objects and business models in ERP-systems
 - Role-based organisation models
- Bioinformatics (Bioinformatik)
 - Context-based dynamic biological processes
 - Search in context-based ontologies


New Application Areas

- Roles for context-sensitive cyber-physical systems (CPS)
 - Hypothesis: Role-contracts for safety and security
- Roles for emergence in Systems-of-Systems (SoS)
 - Hypothesis: Role models for unforeseen emergence
- Roles for Natural Energy Servers
 - Hypothesis: Multi-criteria optimization for energy-adaptive systems

The RoSI House



Ladder of Paradigms (ctd)



E. W. Dijkstra “On the Role of Scientific Thought”, EWD 447 Selected Writings on Computing: A Personal Perspective, pages 60–66, 1982.

"Let me try to explain to you, what to my taste is *characteristic for all intelligent thinking*.

It is, that one is willing to study in depth an aspect of one's subject matter in isolation for the sake of its own consistency, all the time knowing that one is occupying oneself only with one of the aspects.

The End

Important References

- T. Reenskaug, P. Wold, and O. Lehne. Working with Objects, The OOram Software Engineering Method. Manning Publications, 1996.
- Friedrich Steimann. On the representation of roles in object-oriented and conceptual modelling. *Data Knowl. Eng*, 35(1):83-106, 2000.
- Friedrich Steimann. A radical revision of UML's role concept". *UML 2000*, 3rd International Conference, Springer LNCS, 194–209.
- Charles W. Bachman and Manilal Daya. The role concept in data models. In *VLDB '1977: Proceedings of the third int.l conf. on Very large data bases*, pages 464–476. VLDB Endowment, 1977.
- Nicola Guarino Chris Welty. Supporting ontological analysis of taxonomic relationships. *Data and Knowledge Engineering*, 39:51-74, 2001.
- Heinrich Herre, and Gerd Wagner. On the general ontological foundations of conceptual modeling. *21st Int. Conf. on Conceptual Modeling (ER 2002)*, LNCS 2503, pages 65-78, 2002.
- Guizzardi, G. (2005). *Ontological Foundations for Structural Conceptual Models*. PhD thesis | University of Twente



Important References for Role-Based Modeling

- D. Bäumer, D. Riehle, W. Silberski, and M. Wulf. Role object. In Conf. On Pattern Languages of Programming (PLOP), 1997.
- Dirk Riehle and Thomas Gross. Role model based framework design and integration. ACM SIGPLAN Notices, 33(10):117-133, October 1998.
- Dirk Riehle. Framework Design - A Role Modelling Approach. PhD thesis, ETH Zürich, 2000. No. 13509. www.riehle.org.
- Y. Smaragdakis and D. Batory. Mixin layers: an object-oriented implementation technique for refinements and collaboration-based designs. ACM Transactions on Software Engineering and Methodology, 11(2):215–255, 2002.
- H. Wedekind, E. Ortner, R. Inhetveen. Informatik als Grundbildung. Informatik Spektrum, Springer, April 2004
- H. v. Braun, MSP München; W. Hesse, Univ. Marburg; H.B. Kittlaus, SIZ Bonn; G. Scheschonk, C.I.T. Berlin. Ist die Welt objektorientiert? Von der natürlich-sprachlichen Weltsicht zum OO-Modell. Uni Marburg.

Role-Based Programming

- S. Herrmann. Object teams: Improving modularity for crosscutting collaborations. In Proc. Net Object Days 2002, 2002.
- S. Herrmann. A precise model for contextual roles: The programming language objectteams/java. Applied Ontology, 2007.
- www.objectteams.org: a Java-based programming language with roles

Works at SMT

AOSD, MDD:

- U. Aßmann, S. Zschaler, and G. Wagner. Ontologies, Meta-Models, and the Model-Driven Paradigm, Handbook on Ontologies and Software Engineering. pages 249–273. Springer, 2006.
- J. Henriksson, J. Johannes, S. Zschaler, U. Aßmann. Reuseware – adding modularity to your language of choice. Proc. of TOOLS EUROPE 2007: Spec Iss Journal of Object Technology, 2007.

Roles and aspects in ontologies and metamodeling:

- U Aßmann, J Johannes, J Henriksson, and Ilie Savga. Composition of rule sets and ontologies. In F. Bry, editor, Reasoning Web, Second Int. Summer School 2006, number 4126 in LNCS, pages 68-92, Sept 2006. Springer.
- M. Pradel, J. Henriksson, and U. Aßmann. A good role model for ontologies: Collaborations. Int. Workshop on Semantic-Based Software Development. at OOPSLA'07, Montreal, Oct 22, 2007.
- Matthias Bräuer and Henrik Lochmann. Towards Semantic Integration of Multiple Domain-Specific Languages Using Ontological Foundations.



Works at PhD Theses ST (all available via www.qucosa.de)

- Mirko Seifert. Designing Round-Trip Systems by Model Partitioning and Change Propagation. PhD thesis, Dresden University of Technology, June 2011.
 - Shows how roles simplify round-trip engineering by partitioning data
- Sebastian Richly. Autonom rekonfigurierbare Workflows. PhD thesis, Dresden University of Technology, December 2011.
 - Shows how roles can be used to provide an extensible tool platform
- Christian Wende. Language Family Engineering. PhD thesis, Dresden University of Technology, March 2012.
 - Shows how roles can be used to do context-based language composition
- Max Leuthäuser. A Pure Embedding of Roles - Exploring 4-dimensional Dispatch for Roles in Structured Contexts. PhD thesis, Technische Universität Dresden, August 2017.
 - This PhD thesis develops a programming language for contexts and roles, based on some implementation patterns and the base language Scala.
- Thomas Kühn. A Family of Role-Based Languages. PhD thesis, Technische Universität Dresden, March 2017.
 - This PhD develops language design with contexts and roles in CROM
- Georg Püschel. Testing Self-Adaptive Systems - A Model-based Approach to Resilience. PhD thesis, Technische Universität Dresden, June 2018.
 - Contexts for testing robots

- Matthias Schmidt, Jan Polowinski, Jendrik Johannes, and Miguel A. Fernández. An integrated facet-based library for arbitrary software components. In Thomas Kühne, Bran Selic, Marie-Pierre Gervais, and Francois Terrier, editors, ECMFA, volume 6138 of Lecture Notes in Computer Science, pages 261-276. Springer, 2010.

Best paper awards:

- C. Piechnick, S. Richly. Using Role-Based Composition to Support Unanticipated, Dynamic Adaptation, ADAPTIVE 2012
- J. Reimann, M. Seifert, U. Aßmann. Role-based generic model refactoring. MODELS Okt. 2010